



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS
उपभोक्ता मामले, खाद्य एवं सार्वजनिक वितरण मंत्रालय,
भारत सरकार
Ministry of Consumer Affairs, Food and Public
Distribution, GOVT. OF INDIA

जयपुर शाखा कार्यालय
Jaipur Branch Office

पता/Address: मानक भवन, पृथ्वीराज रोड,
सी-स्कीम, जयपुर-302005
Manak Bhawan, Prithviraj Road
C-Scheme- Jaipur| 302005

दुरभाष/Phones 0141-2223282, 2223283, 2223284

फैक्स/fax: 0141-2223281

ई-मेल/E-Mail: jpbo@bis.org.in

वेबसाइट/web : http://www.bis.org.in

Our Ref :JPBO /CM/L 8400245211

Subject: Grant of BIS Product Certification Licence No 8400245211
as per IS 16647:2017

Dated:

13/09/24

M/s WAREE O PIPES PRIVATE LIMITED
SP-2, 123-123 A, RIICO INDUSTRIAL AREA,
MANDA BHINDA, CHOMU,
DISTT. - JAIPUR (RAJASTHAN) - 303712.

Dear Madam(s)/Sir(s),

With reference to your application, we are pleased to inform you that the Certification Marks Licence has been granted to you to use the Standard Mark in respect of the followings:

Product:- ORIENTED UNPLASTICIZED POLYVINYL CHLORIDE (PVC-O) PIPES FOR WATER SUPPLY.

Grade/Class/Type/Variety

- | |
|---|
| 1. PVC O Material classification 500 PN12.5 DN 110 C-1.4 |
| 2. PVC O Material classification 500 PN16 DN 110 C-1.4 |
| 3. PVC O Material classification 500 PN20 DN 110 C-1.4 |
| 4. PVC O Material classification 500 PN25DN 110 C-1.4 |
| 5. PVC O Material classification 500 PN12.5 DN 160 to 250 C-1.4 |
| 6. PVC O Material classification 500 PN16 DN 160 to 250 C-1.4 |
| 7. PVC O Material classification 500 PN20 DN 160 to 250 C-1.4 |

as per IS 16647:2017

1. The licence is granted on the explicit condition that you will mark entire/substantial production which conforms to the Indian Standards.
2. The number assigned to this licence is **CM/L- 8400245211** which has been made operative **10-09-2024** and is **valid upto 09-09-2025**. The licence number shall invariably be referred to in your future correspondence.
3. The licence is granted on the explicit condition that you shall mark entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. Accordingly, you shall cover the entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. In addition, you shall display the BIS product certification licence held by you prominently at your premises and also mention the BIS product certification licence held by you in your commercial advertisements.
4. Further, you should cover the entire production under scope of licence with Standard Mark and maintain conformity to the relevant Indian Standards. In addition, you should display the BIS product certification licence prominently at your premises and also mention the BIS product certification licence held by you in your commercial advertisements.
5. According to Sub-Paragraph (1) & (3) of Paragraph 5 of scheme-I of Schedule-II under Bureau of Indian Standards (Conformity Assessment) Regulations, 2018, the annual licence fee of Rs. 1000.00 and the marking fee as notified is payable by you with effect from **10-09-2024** for the period of validity of the licence in advance.
6. Minimum marking fee stipulated Under Scheme-I of BIS (Conformity Assessment) Regulation 2018 is payable by you regardless of the fact whether you actually mark your product or not with the Standard Mark.

7. This advance minimum marking fee will be carried over to the next year on every renewal. The actual marking fee calculated on the unit rate on the production marked or the minimum marking fee, whichever is higher, shall be payable by you at the time of renewal.
8. With a view to streamlining the reporting of quantity marked, calculation and collection of marking fee on the unit rate basis, fees will be calculated on the production marked during the first nine months of operation of the licence at the time of first renewal, and on the production marked during twelve months comprising the last three months of the previous operative year and the first nine months of the current operative year, at the time of the second and subsequent renewals. In case the licence expires, the entire production marked till the expiry date shall be taken into account for calculating the marking fee payable.
9. The Scheme of Inspection and Testing as specified by BIS *will have to be implemented by your organization strictly and completely. This supervision of the operation of the Scheme shall be done by a person responsible for the quality control function in your organization. Kindly inform us the name and designation of the person who will be held responsible for the operation and maintenance of the Scheme. Any future change in this respect will have to be communicated by you to us as and when these take place.
10. We are enclosing a sheet giving the preferred dimensions of the Standard Mark to enable you to prepare the designs of the Standard Mark for marking the above product Photographic reduction in any size is permissible. This will ensure the relative proportions of the different dimensions maintained. Preferred dimensions be used as far as possible.
11. On commencement of marking of your product for which you are licensed, you may advertise your product with Standard Mark in various media only during the validity of your licence. The use of Standard Mark on letterheads and publicity literature will be permitted only on receipt of your assurance that in the event of cancellation or lapsing of your licence, the Standard Mark on your letterheads, publicity literatures etc. will be destroyed/obliterated.
12. This licence is granted for your manufacturing premises **SP-2, 123-123 A, RIICO INDUSTRIAL AREA, MANDA BHINDA, CHOMU, DISTT. – JAIPUR (RAJASTHAN) - 303712**. Privileges under the licence shall not be exercised by any other firm company/factory etc. This licence is not transferable in the event of shifting the manufacturing and testing equipment from the licensed premises to some other place, use of Standard Mark shall be stopped till the new premises are inspected and found to be satisfactory by BIS in respect of manufacturing and testing facilities available there and the address of the new premises is endorsed in the licence.
13. You are also advised to make yourself and other employees in your organisation aware about the provisions of the BIS Act, 2016 and Rules and Regulations framed there under especially the implications in case of any intentional or unintentional non-adherence.
14. It may be noted that this licence is granted based on undertaking that in the event of non-conformity of the sample in long duration test (s) or your inability to submit the test report immediately but not later than 30 days (one month) from the date of test report confirmed by the laboratory, the licence shall be processed for cancellation. (Applicable for GOL with undertaking for long duration test).
- 15 *It may be noted that this licence is granted under option 2 which is subject to the condition that if samples drawn on **(30-08-2024)** by BIS during the verification visit before grant of licence, fail to conform to the requirements of relevant Indian Standard (in any requirement), the licence shall be put under suspension, and is case fresh sample after corrective action is not offered within one month or fresh sample fails to conform to the requirement of relevant Indian Standard, in any requirement, the licence shall be processed for cancellation (Applicable for GoL under option 2).
16. The Original Licence document is enclosed for your reference and record.

Thanking you,

Yours faithfully,



(Kanika Kalia)
Director & Head

Encl: As above



भारतीय मानक ब्यूरो
BUREAU OF INDIAN STANDARDS

मानक चिन्ह लगाने की अनुज्ञप्ति (लाइसेंस)
Licence for the use of STANDARD MARK

लाइसेंस सं. सीएम/एल – 8400245211

Licence No. CM/L – 8400245211

यह ब्यूरो, भारतीय मानक ब्यूरो अधिनियम, 2016 (2016 का 11) द्वारा प्रदत्त शक्तियों के आधार पर
By virtue of the power conferred on it by the BUREAU OF INDIAN STANDARDS ACT,
2016 (11 of 2016) the BUREAU hereby grants to

मैसर्स वारी ओ पाइप्स प्राइवेट लिमिटेड
एसपी-2, 123-123 ए, रीको इंडस्ट्रियल एरिया,
मांडा भिंडा, चोमू,
जिला-जयपुर (राजस्थान) 303712.

M/s WAREE O PIPES PRIVATE LIMITED
SP-2, 123-123 A, RIICO INDUSTRIAL AREA,
MANDA BHINDA, CHOMU,
DISTT. – JAIPUR (RAJASTHAN) – 303712.

को (जिसे इसमें आगे 'अनुज्ञप्तिधारी' कहा गया है), इसकी प्रथम अनुसूची के पहले कालम में विनिर्दिष्ट मानक चिन्ह का इस अनुसूची के तीसरे कालम में दी गई किस्मों पर, उपयोग करने के लिए यह अनुज्ञप्ति प्रदान करता है। इन उत्पादित किस्मों पर चिन्ह का उपयोग उक्त अनुसूची के दूसरे कालम में समय-समय पर संशोधित अथवा पुनरीक्षित/संदर्भित संबद्ध भारतीय मानक (मानकों) के अनुसार/अनुरूप विनिर्मित हो।

(hereinafter called 'the Licensee') this Licence to use the Standard Mark set out in the first column of the First Schedule hereto, upon or in respect of the varieties set out in the third column of the said Schedule which is manufactured in accordance with/conforms to the related Indian Standard(s) referred to in the second column of the said Schedule as from time to time amended or revised.

2. इस अनुज्ञप्ति में अनुबंध अनुज्ञप्ति की शर्तों के लिए अनुज्ञप्तिधारी उत्तरदायी हैं। यह अनुज्ञप्ति पहली अनुसूची में यथा-उल्लिखित नाम, कारखाना के पते और अवधि के लिए विधिमान्य होगा और इसे स्कीम-1 में निर्दिष्टानुसार नवीकृत कराया जा सकता है।

This Licence carries obligations on part of the licensee as conditions of licence. This licence shall be valid for the name, factory address and period as mentioned in the first schedule and may be renewed as prescribed in the scheme.

FIRST SCHEDULE

लाइसेंस नं. सीएम/एल-8400245211 के तहत कारखाने के विवरण और कार्यक्षेत्र की अनुसूची
Schedule of Factory details and scope under Licence No.CM/L- 8400245211

नाम : मैसर्स वारी ओ पाइप्स प्राइवेट लिमिटेड

Name : M/s WAREE O PIPES PRIVATE LIMITED

फैक्ट्री का पता : एसपी-2, 123-123 ए, रीको इंडस्ट्रियल एरिया, मांडा भिंडा, चौमू, जिला-जयपुर (राजस्थान)
303712.

Factory Address: SP-2, 123-123 A, RIICO INDUSTRIAL AREA, MANDA BHINDA, CHOMU,
DISTT. – JAIPUR (RAJASTHAN) – 303712.

वैधता :- दस सितम्बर दो हजार चौबीस से नौ सितम्बर दो हजार पच्चीस तक।

Validity: From Tenth September Two Thousand Twenty Four to Ninth September Two Thousand
Twenty Five.

Standard Mark	Indian Standard	Scope of Licence	Marking Fee
(1)	(2)	(3)	(4)
IS 16647  CM/L- 8400245211	आईएस 16647:2017 IS 16647:2017 ORIENTED UNPLASTICIZED POLYVINYL CHLORIDE (PVC-O) PIPES FOR WATER SUPPLY	1. PVC O Material classification 500 PN12.5 DN 110 C-1.4 2. PVC O Material classification 500 PN16 DN 110 C-1.4 3. PVC O Material classification 500 PN20 DN 110 C-1.4 4. PVC O Material classification 500 PN25DN 110 C-1.4 5. PVC O Material classification 500 PN12.5 DN 160 to 250 C-1.4 6. PVC O Material classification 500 PN16 DN 160 to 250 C-1.4 7. PVC O Material classification 500 PN20 DN 160 to 250 C-1.4	एक वर्ष की प्रचालन अवधि के दौरान न्यूनतम मुहरांकन फीस ₹ 160000.00 के साथ सभी इकाईयों के लिए ₹ 79.75 प्रति इकाई। Rs 79.75 per unit for all units with a Minimum Marking Fee of Rs. 160000.00 during an operative period of one year इकाई: 1 टन Unit: 1 TON एक प्रचालन वर्ष के लिए न्यूनतम चिह्नांकन शुल्क अग्रिम में देय होगी जो अगले नवीकरण में अग्रणीत होगी। Minimum marking fee for one operative year payable in advance which will be carried over to next renewal(s)

आज दो हजार चौबीस के दस मास के तेरह दिन को हस्ताक्षरित तथा मुद्रांकित
Signed, Sealed and Dated this Tenth day of September month of Year TWO THOUSAND
TWENTY FOUR.

कनिका

(कनिका कालिया)

निदेशक एवं प्रमुख

भारतीय मानक ब्यूरो की ओर से

for BUREAU OF INDIAN STANDARDS

उपाबंध

(अनुज्ञप्ति सं. सीएम/एल 8400245211)

अनुज्ञप्ति की शर्तें

- (1) मानक चिन्ह का डिजाइन अनुज्ञप्ति में दी गई गई प्रतिकृति के आनुषंगिक होगा।
- (2) मानक चिह्न के फोटोग्राफिक विस्तार अथवा लघुकरण का उपयोग भी किया जा सकता है, जब तक ब्यूरो द्वारा कोई अन्य विनिर्दिष्ट न दिए गए हों।
- (3) अनुज्ञप्तिधारी उस संबद्ध माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा की भारतीय मानक के अनुसार अनुरूपता के लिए उत्तरदायी होगा जिसके लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग किया गया है।
- (4) अनुज्ञप्तिधारी उस माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा के लिए मानक चिन्ह का उपयोग नहीं करेगा जो गैर-अनुरूप अथवा अनुज्ञप्ति के विषय-क्षेत्र से बाहर हैं।
- (5) जिस माल और वस्तुओं के लिए मानक चिन्ह का उपयोग किया गया है अगर वे संबद्ध मानक की अपेक्षाओं के अनुरूप नहीं हैं, तो ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को ऐसे गैर-अनुरूपता वाले माल को वापिस लेने का निर्देश दे सकता है।
- (6) अनुज्ञप्ति के आस्थगन अथवा निलंबन के दौरान अथवा उसकी समाप्ति अथवा रद्द होने के पश्चात् किसी संबद्ध माल, वस्तु, प्रक्रिया, उपयोग अथवा सेवा के लिए मानक चिन्ह का उपयोग अथवा अनुप्रयोग नहीं किया जाएगा।
- (7) अनुज्ञप्तिधारी को उस अनुरूपता आकलन योजना के उपाबंधों का पालन करना होगा जिसके अंतर्गत उसे अनुज्ञप्ति प्रदान किया गया है, जिसमें लेबलिंग और चिन्हांकन अपेक्षाएं भी शामिल हैं।
- (8) अनुज्ञप्तिधारी ब्यूरो द्वारा समय-समय पर यथा विनिर्दिष्ट अभिलेख अनुरक्षित रखेगा।
- (9) अनुज्ञप्तिधारी अपने परिसरों में निरीक्षण अथवा लेखापरीक्षा करने से संबंधित सभी प्रकार की सहायता ब्यूरो को उपलब्ध कराएगा।
- (10) अनुज्ञप्तिधारी उत्पाद और मानक चिन्ह के उपयोग अथवा अनुप्रयोग से संबंधित जानकारी जब अपेक्षा ब्यूरो को प्रदान करेगा।
- (11) यदि माल अथवा वस्तुओं पर मानक चिन्ह का उपयोग अथवा अनुप्रयोग के लिए अनुज्ञप्ति प्रदान किया गया हो तो अनुज्ञप्तिधारी को उन परेषिती, वितरकों, व्यापारी अथवा फुटकर विक्रेता की सूची देनी होगी, जिनको मानक चिन्ह वाले माल अथवा वस्तुओं की आपूर्ति की गई है।
- (12) ब्यूरो के अनुमोदन के बिना अनुज्ञप्ति किसी व्यक्ति को अंतरित नहीं किया जाएगा।
- (13) मानक चिन्ह वाले किसी माल, वस्तुओं, प्रक्रिया, प्रणाली अथवा सेवा से संबंधित शिकायत प्रमाणित होने पर ब्यूरो अनुज्ञप्तिधारी अथवा उसके प्रतिनिधि को मानक मुहरांकित माल और वस्तुओं की मरम्मत अथवा बदलने अथवा पुनर्निर्माण के निर्देश दे सकता है।
- (14) अनुज्ञप्तिधारी को कम से कम एक माह के नोटिस दे कर ब्यूरो, अनुज्ञप्ति की किसी शर्त को संशोधन का अधिकार रखता है।

GENERAL INSTRUCTIONS ON SIZES OF ISI MONOGRAM TO BE USED BY LICENSEES UNDER BIS CERTIFICATION MARKS SCHEME

Refer to the Standard Mark indicated in your licence. Regarding size please note that :

- Photographic reduction in any size of Figure 1 is permissible; and
- Preferred dimensions as given in Table 1 be used as far as possible.




FIG. 1

TABLE 1 PREFERRED DIMENSIONS OF ISI MONOGRAM

All dimensions in millimetres

A	B	a	R	r	SIZE OF LETTERS
2.5	1.9	0.2	0.4	-	1.0 mm
5	3.8	0.4	0.8	0.1	1.0 mm
10	7.5	0.7	1.7	0.2	2.0 mm
20	15	1.5	3.3	0.5	3.0 mm
40	30	2.9	6.7	1.0	4.0 mm
80	60	5.9	13.4	1.9	6.0 mm
160	120	11.7	26.7	3.8	10.0 mm
320	240	23.4	53.4	7.6	16.0 mm